

6 Layer (Copper thick: Internal layer 0.5oz/outer layer 1oz)

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.15mm H/H with copper core 0.15mm H/H with copper core 0.8mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.15	mm
	PP	2116	0.11	mm
	Core	with copper core	0.15	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	0.75	±0.10	mm
	Finish thickness	0.85	±0.10	mm

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.25mm H/H with copper core 0.25mm H/H with copper core 1.0mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.25	mm
	PP	2116	0.125	mm
	Core	with copper core	0.25	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	0.95	±0.10	mm
	Finish thickness	1.05	±0.10	mm

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.3mm H/H with copper core 0.3mm H/H with copper core 1.2mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.30	mm
	PP	7628	0.22	mm
	Core	with copper core	0.30	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	1.10	±0.10	mm
	Finish thickness	1.20	±0.10	mm

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.5mm H/H with copper core 0.5mm H/H with copper core 1.6mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.50	mm
	PP	7628	0.22	mm
	Core	with copper core	0.50	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	1.50	±0.13	mm
	Finish thickness	1.60	±0.13	mm

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.7mm H/H with copper core 0.7mm H/H with copper core 2.0mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.70	mm
	PP	7628	0.22	mm
	Core	with copper core	0.70	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	1.90	±0.20	mm
	Finish thickness	2.00	±0.20	mm

GTL ← PP ← L2 ← L3 ← PP ← L4 ← L5 ← PP ← GBL ← 0.9mm H/H with copper core 0.9mm H/H with copper core 2.4mm 6-Layer PCB stackup	Copper thick	H	0.0175	mm
	PP	2116	0.125	mm
	Core	with copper core	0.90	mm
	PP	7628	0.22	mm
	Core	with copper core	0.90	mm
	PP	2116	0.125	mm
	Copper thick	H	0.0175	mm
	Stack up thickness	2.27	±0.20	mm
	Finish thickness	2.40	±0.20	mm